

Standard Test Methods Reference Chart

VpCI Films and Paper

VpCI-125

ASTM B-257 – Surface Resistivity
ASTM D 882 – Tensile Strength/Elongation
ASTM D 1922 – Elmendorf Tear Strength
ASTM D 3420 – Puncture Resistance
ASTM F-3429 – Water Vapor Transmission Rate
ASTM D-3985 – Oxygen Transmission Rate
ASTM D6988-07 – Film Thickness
ASTM D1748 – Accelerated Corrosion
ASTM D1735 – Water Fog
MIL-PRF-81705D – Static Decay (VpCI-125 only)
MIL-PRF-22019E (Performance Requirements)
MIL-PRF-22020E
NACE TM0208-2008 – Vapor-Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-126 Blue, VpCI-126 Shrink, VpCI-126HPUV

ASTM D-882 (Tensile Strength at Break/Peak)
ASTM D-882A (% Elongation at Break)
ASTM D-1922 (Tear Test)
ASTM D-3420 (Puncture Resistance)
ASTM D6988-07 – Film Thickness
ASTM D1748 – Humidity
ASTM D1735 – Water Fog
ASTM D2732-30 – Shrink Test (shrink films only)
NACE TM0208-2008 – Vapor-Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-PRF-22019E (Performance Requirements)
MIL-PRF-22020E

MilCorr VpCI Shrink Film

ASTM D-882 – Tensile Strength at Break/Peak
ASTM D-882A – % Elongation at Break
ASTM D1709, Method A – Dart Drop
ASTM D-1922A – Elmendorf Tear Strength
ASTM D-3420 – Puncture Resistance
ASTM D6988-07 – Film Thickness
ASTM D1748 – Humidity



ASTM D2732-30 – Shrink Test
ASTM F3429 – Water Vapor Transmission Rate
ASTM D3985 – Oxygen Transmission Rate
NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-PRF-121 – Barrier Materials
MIL-PRF-22019E (Performance Requirements)

CorrLam VpCI Barrier Laminate

ASTM D-882 – Tensile Strength at Break/Peak
ASTM D-882A – % Elongation at Break
ASTM D1709, Method A – Dart Drop
ASTM D-1922A – Elmendorf Tear Strength
ASTM D-3420 – Puncture Resistance
ASTM D6988-07 – Film Thickness
ASTM D1748 – Humidity
ASTM F3429 – Water Vapor Transmission Rate
ASTM D3985 – Oxygen Transmission Rate
NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-PRF-121 – Barrier Materials

VpCI Coated Paper – 144, 145, 146, 148, 149, Super Barrier, EcoSonic ESD

TAPPI T-410 – Basis Weight
TAPPI T-411 – Caliper thickness, Tear strength
TAPPI T-494 – Dry Tensile/TEA
TAPPI T-404 – Stretch
TAPPI T-530 – Ink Float
TAPPI T-538 – Smooth
TAPPI T-541 – Internal Bond
TAPPI T-476 – Abrasion
TAPPI T-448 – WVTR (VpCI-144, -148, and Super Barrier only)
NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-PRF-3420H – VCI Treated Wrapping Materials, Opaque
ASTM B-257 – Surface Resistivity (EcoSonic ESD only)
MIL-PRF-81705D – Static Decay (EcoSonic ESD only)

Cor-Pak VpCI Fabric

ASTM D-1117 (Sheet Grab Tensile, Thickness)
MIL-P-58102 (Flexible Laminate Protective Sheet)
MIL-PRF-22019E (Modified)

Cor-Pak VpCI Stretch Film

ASTM D 882-91 – Ultimate Strength, Peak Elongation
ASTM D-1922-94a – Tear Strength
ASTM D-3420-95-20 – Impact Puncture
ASTM D 5458-95 Peel Cling
MIL-PRF-22019E (Modified)

Cor-Pak EcoWeave

Unit weight (ASTM D-3775)
Tensile Grab Strength (ASTM D1682-64)
Tear Strength (ASTM D-2261-71)
MIL-PRF-22019E (Modified)

Cor-Pak VpCI Reinforced Paper

TAPPI T-410 – Basis weight
TAPPI T-411 – Caliper
ASTM D 3420-95B – Impact Puncture
ASTM D-1922-94A – Tear Test
MIL-PRF-3420H

Cor-Pak VpCI Linerboard

Basis weight – TAPPI T-410
TAPPI T-411 – Tear MD/CD, Caliper
TAPPI T-538 – Smoothness
MIL-PRF-3420H

Cor-Pak VpCI Polycoated paper

ASTM D-689 – Tear test
ASTM F-1249 – MVTR
MIL-PRF-3420H

Eco Film

DIN V 54 900 (Biodegradability Testing under practical conditions)
RAL GZ251 (Regulations of the German Compost Quality Assurance Organization BGK concerning quality criteria and the quality assurance of compost)
DIN 38412 Part 30 (German standard methods for the examination of water, waste water and sludge; bio-assays (group L); determining the tolerance of Daphnia to the toxicity of waste water by way of a dilution series (L30))
Daphnia Test
ISO 527 (Tensile and Ultimate Strength, Ultimate elongation)
DIN 53363 (Tear propagation resistance)
DIN 53380 (Permeation rates: oxygen)
ASTM D 6400-99 (Specifications for Compostable Plastics)

Eco Wrap

ISO 527 (Tensile and Ultimate strength)
DIN 53363 (Tear Propagation resistance)
DIN 53380 (Permeation rates: oxygen)
DIN V 54 900 (Biodegradability Testing under practical conditions)
RAL GZ 251 (Regulations of the German Compost Quality Assurance Organization BGK concerning quality criteria and the quality assurance of compost)
DIN 38412 Part 30 (German standard methods for the examination of water, waste water and sludge; bio-assays (group L); determining the tolerance of Daphnia to the toxicity of waste water by way of a dilution series (L30))

EcoShield Fabric

ASTM D-3775 (Construction, unit weight)
ASTM D-1862-64 (Tensile Grab Strength)
ASTM D-2261-71 (Tear Strength)
ASTM D-1777 (Coating thickness)
MIL-P-58102 (Flexible Laminate Protective Sheet)
MIL-PRF-3420H
MIL-PRF-22019E (Modified)

EcoShield Heat Sealable Paper

TAPPI T-410 – Basis weight
TAPPI T-411 – Caliper
ASTM F88-99 – Seal Strength
MIL-PRF-3420H

EcoShield VpCI Linerboard

TAPPI T-410 – Basis weight
TAPPI T-411 – Caliper

EcoSol

ASTM D-1922 – Tear Test
ASTM D-3420-95B – Impact-Puncture

Eco Works

ASTM D 6400-99 – Specifications for Compostable Plastics
DIN CERTCO
DIN V 54 900 – Compostable testing

VpCI Emitters and Electronics Products

BioPad

NACE Standard TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability
ASTM D6966-11 – BioBased Content

EcoDevice

NACE Standard TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability
ASTM D6966-11 – BioBased Content
OECD Method 301D – Biodegradability

EcoEmitter

NACE Standard TM0208-2008 – Vapor Inhibiting Ability
MIL-I-22110C – Vapor Inhibiting Ability

Cor-Pak 1-MUL

MIL-I-22110C – Vapor Inhibiting Ability

ElectriCorr VpCI-238, 239, and 248

ASTM D-1748 Humidity
ASTM B-117 Salt Spray
NACE RP0487-2000 – Selection of Rust Preventives

ElectriCorr VpCI-286

ASTM D-1748 Humidity
ASTM B-117 Salt Spray
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-101, 105, 111

NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability

VpCI-130 Series Foam

NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-PRF-26514G, Type 3, Class II – Polyurethane Foam

VpCI-150/170

NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives

Desicorr

MIL-D-3464E – Activated, Bagged Desiccant

Desicorr VpCI

MIL-D-3464E – Activated, Bagged Desiccant

MIL-I-22110C – Vapor Inhibiting Ability

NACE RP0487-2000 – Selection of Rust Preventives

Desicorr NW

MIL-D-3464E – Activated, Bagged Desiccant

CorWipe 500

ISO 2878 (Antistatic and conductive products - Determination of electrical resistance)

Powders

VmCI-307

NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability

VpCI-308/308 Pouch

NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability

VpCI-309/309 Pouch

NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability

VpCI-608

NACE TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability

VpCI-609

NACE Standard TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
OECD 306, BOD-28 (Marine Biodegradability Test)
EPA/600/4-90/027F (Sea Water Toxicity Test)
MIL-I-22110C – Vapor Inhibiting Ability

VpCI-609 EcoPouch

NACE Standard TM0208-2008 – Vapor Inhibiting Ability
NACE RP0487-2000 – Selection of Rust Preventives
MIL-I-22110C – Vapor Inhibiting Ability

Temporary Rust Preventives and Metalworking Fluids

BioCorr Rust Preventative/BioCorr ATF

ASTM D-1748 – Humidity
ASTM D-1735 – Water Fog
ASTM D-6866-11 – Determination of Biobased Content
NACE RP0487-2000 – Selection of Rust Preventives

CorrLube Food Grade Penetrant

ASTM D-97 (Pour point)
ASTM D-1748 (Humidity chamber)
ASTM D-130 (Copper Strip corrosion)
ASTM D-971 (Interfacial tension of oil against water)
ASTM D-445 (Kinematic Viscosity)
ASTM D-2161 (Saybolt viscosity)
NACE RP0487-2000 – Selection of Rust Preventives

EcoCorr Waterbased Rust Preventative

ASTM D1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM D-4627 – Cast Iron Chip Test
ASTM G-31 – Immersion Corrosion Testing
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-316

ASTM D-130 – Copper strip corrosion test
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-322, 323, 326, 329 (and all variations thereof)

ASTM D-97 – Pour point
ASTM D-130 – Copper strip corrosion test
ASTM D-665 – Rust Preventing Characteristics
ASTM D-974 – Acid/Base number by titration
ASTM D-1401 – Water separability testing
ASTM D-1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM B-117 – Salt Fog
MIL-PRF-46002 – Contact and Volatile Corrosion Inhibited Oil
MIL-PRF-85062 – VCI Oil for Transmission and Gearbox
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-325

ASTM D-1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM G-53 – Cyclic UV/Humidity
MIL-L-63460 – Lubricant, Cleaner, and Preservative for Weapons and Weapon Systems

MIL-C-81309 – Water Displacement
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-340 CLP

ASTM D-1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM B-117 – Salt Fog
MIL-L-63460 – Lubricant, Cleaner, and Preservative for Weapons and
Weapon Systems
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-344

ASTM D-1748 – Humidity Test
ASTM D-4627 – Cast Iron Chip Test
ASTM G-31 – Immersion Corrosion Testing
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-345

ASTM D-1748 – Humidity Test
ASTM D-4627 – Cast Iron Chip Test
ASTM G-31 – Immersion Corrosion Testing
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-347

ASTM D-1748 – Humidity Test
ASTM D-4627 – Cast Iron Chip Test
ASTM D-2783 – 4-Ball E.P. Test
ASTM D5619 – Tapping Torque Test
ASTM G-31 – Immersion Corrosion Testing
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-368/368EVP/368D/368M

ASTM D-1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM B-117 – Salt Fog Cabinet
ASTM D3690 – VOC
ASTM D522 – Flexibility
MIL-PRF-16173E, Grade 1
NACE (Minimum Surface Preparation Guideline)
NACE RP0487-2000 – Selection of Rust Preventives
SSPC (Minimum Surface Preparation Guideline)

VpCI-369/369D/369M

ASTM D-1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM B-117 – Salt Fog Cabinet

ASTM D3690 – VOC
ASTM D522 – Flexibility
MIL-PRF-16173E, Grade 2
NACE (Minimum Surface Preparation Guideline)
NACE RP0487-2000 – Selection of Rust Preventives
SSPC (Minimum Surface Preparation Guideline)

VpCI-377, 378, 379

ASTM D1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM D-4627 – Cast Iron Chip Test
ASTM G-31 – Immersion Corrosion Testing
NACE RP0487-2000 – Selection of Rust Preventives

VpCI-388, 389, 389D, 391

ASTM D-1748 Humidity
ASTM B-117 Salt Fog
ASTM D3690 – VOC
ASTM D522 – Flexibility
NACE RP0487-2000 – Selection of Rust Preventives
NACE (Minimum Surface Preparation Guideline)
SSPC (Minimum Surface Preparation Guideline)

VpCI Super Penetrant

ASTM D-971 (Test for Interfacial Tension of Oil against Water)
ASTM B-117 (Salt Spray)
ASTM D-1748 (Humidity test)
NACE RP0487-2000 – Selection of Rust Preventives

VpCI Teflon Lube

ASTM D-566 (Dropping Point of Lubricating Grease)
ASTM D-217 (Cone Penetration of Lubricating Grease)
ASTM D-942 (Pressure drop in bar)
ASTM D-972 (Evaporation Loss of Lubricating Greases and Oils)
ASTM D-1743 (Rust protection)
ASTM D-1264 (Water washout)
ASTM D-2670 (The Falex Pin and Vee Block Test)
ASTM D-2266 (Four Ball Wear)
FTNS – 791B (Oil Separation)

CorrLube VpCI Grease

ASTM D-566 (Dropping Point of Lubricating Grease)
ASTM D-217 (Cone Penetration of Lubricating Grease)
ASTM D-942 (Pressure drop in bar)

ASTM D-972 (Evaporation Loss of Lubricating Greases and Oils)
ASTM D-1743 (Rust protection)
ASTM D-1264 (Water washout)
ASTM D-2670 (The Falex Pin and Vee Block Test)
ASTM D-2266 (Four Ball Wear)
NACE RP0487-2000 – Selection of Rust Preventives

VpCI Coolant Antifreeze

ASTM D-1384-87 (Standard Test Method for Engine Coolant in Glassware)

VpCI High Performance Coatings

Standard Test Methods below are relevant for:

VpCI-280, -371, -372, -372E, -373, -375, -380, -381, -382, -383, -384, -386 (all versions), -387, -390, -392, -395, -396, -398, -2026, CorrBarrier, EcoPrimer, CorrVerter

ASTM B-117 Salt Spray

ASTM D-1748 Humidity

ASTM D-3359 Adhesion

ASTM D-522 Flexibility

ASTM D-532 Gloss

ASTM D-3960 VOC

ASTM D-3363 Pencil Hardness

ASTM D-3363 Pencil Hardness

NACE RP0487-2000 – Selection of Rust Preventives

NACE (Minimum Surface Preparation Guideline)

SSPC (Minimum Surface Preparation Guideline)

VpCI-373 – DOD-P-15328D – Wash Primer Pretreatment

VpCI Surface Preparation Products

EcoAir Graffiti Remover

OECD Method 301D – Biodegradability

VpCI-406

OECD Method 301D – Biodegradability
ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip

VpCI-411

ASTM D-6866-11 – Determination of Biobased Content
ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
OECD Method 301D – Biodegradability

VpCI-414

ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
OECD Method 301D – Biodegradability

VpCI-415

MIL-PRF-87937, Type IV – Cleaning Compound, Aerospace Equipment
ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
40 CFR 796.3100 – Aerobic Aquatic Biodegradation
Boeing D6-17487, Revision P – Exterior and General Cleaners and Liquid Waxes, Polishes and Cleaning Compounds

VpCI-422/423

ASTM F-519 – Mechanical Hydrogen Embrittlement Evaluation of Plating/Coating Processes and Service Environments
ASTM D-6866-11 – Determination of Biobased Content
OECD Method 301D – Biodegradability

VpCI-426 (all versions)

NOEC/LOEC – Toxicology Testing

VpCI-427

NOEC/LOEC – Toxicology Testing

VpCI-428, 429, 432, 433, 434 (both versions)

OECD Method 301D – Biodegradability

VpCI-440

ASTM D4627 – Cast Iron Chip Test

ASTM D1748 – Humidity

NACE RP0487-2000 – Selection of Rust Preventives

VpCI Water Treatment Products

BioClean 610

ASTM D-6866-11 – Determination of Biobased Content

Cooling Loop Gator

EPA/600/4-90/027 F – Requirements for discharge in freshwater
48-hour static D. pulex and P. Promelas Toxicity Test

CorrBlock

NACE RP0487-2000 – Selection of Rust Preventives
NACE TM0208-2000 – Vapor Inhibiting Ability
MIL-I-22110C – Vapor Inhibiting Ability

HC 2030, 2050, 2060, 2075, 2090

ANSI/NSF Standard 60 – Approved for Drinking Water

EcoClean Dispersant 600

ASTM D-6866-11 – Determination of Biobased Content
NOEC/LOEC – Toxicology Testing

M-645/VpCI-645

ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
NOEC/LOEC – Toxicology Testing

S-69 Powder

EPA/600/4-90/027 F (Methods for Measuring the Acute Toxicity of
Whole Effluents to Freshwater and Marine Organisms)
E-17766-01 (48 hour Static renewal toxicity test)
ASTM D-4627 – Cast Iron Chip Test

VpCI-611

ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
NOEC/LOEC – Toxicology Testing

VpCI-629/629 SC

NACE TM-01-77 (Protection coefficient)
Wheel Oven Test

VpCI-629 Bio

NACE TM-01-77 (Protection coefficient)
Wheel Oven Test
Emulsion Tendency

Dynamic circuit test
40 CFR 136 (Biodegradability testing)
EPA/600/4-90/027F (Toxicity testing)

VpCI-637/637 GL

NOEC/LOEC – Toxicity Test
NACE ID 182 (Wheel Test)
ASTM G 170-01 (Rotating Cylinder Electrode test)
Methyldiethanolamine Foaming Test

VpCI-639

NACE TM-01-77 (Protection Coefficient)

VpCI-641

ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
NOEC/LOEC – Toxicology Testing

VpCI-642

ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
NOEC/LOEC – Toxicology Testing

VpCI-643

NOEC/LOEC – Toxicology Testing

VpCI-645

ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
NOEC/LOEC – Toxicology Testing

VpCI-649 (All versions)

NOEC/LOEC – Toxicology Testing
ASTM D4627 Cast Iron Chip Test
ASTM G-31 – Immersion Corrosion Testing

EcoLine Products

EcoLine 3220

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1735 – Water Fog
ASTM D-1748 – Humidity
NACE RP0487-2000 – Selection of Rust Preventives

EcoLine 3680

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1735 – Water Fog
ASTM D-1748 – Humidity Spray
ASTM B-117 – Salt Spray
NACE RP0487-2000 – Selection of Rust Preventives

EcoLine 3690

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1735 – Water Fog
ASTM D-1748 – Humidity
ASTM B-117 – Salt Fog
NACE RP0487-2000 – Selection of Rust Preventives

EcoLine All Purpose Lubricant

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1735 – Water Fog
ASTM D-1748 – Humidity Cabinet
ASTM D-4172 – Four Ball Wear Test
ASTM D-2670 – Falex Pin and Vee Block Wear Test
NACE RP0487-2000 – Selection of Rust Preventives

EcoLine Long Term Rust Preventative

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1735 – Water Fog
ASTM D-1748 – Humidity Cabinet
NACE RP0487-2000 – Selection of Rust Preventives

EcoLine Heavy Duty Grease

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1748 – Humidity Cabinet
NACE RP0487-2000 – Selection of Rust Preventives

EcoLine Cleaner Degreaser

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-4627 – Cast Iron Chip Test

EcoLine Cutting Fluid

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1748 – Humidity Cabinet
ASTM D-4627 – Cast Iron Chip Test
ASTM D-2670 – Falex Pin and VEE Block Wear Test

EcoLine CLP

ASTM D-6866-11 – Determination of Biobased Content
ASTM D-1748 – Humidity Cabinet
NACE RP0487-2000 – Selection of Rust Preventives

EcoLine Food Machinery Grease

ASTM D-6866-11 – Determination of Biobased Content

VpCI Additives

M-95

ASTM G-31 – Immersion Corrosion Testing
ASTM D4627 – Cast Iron Chip
NACE TM-0208-2008 – Vapor Inhibiting Ability
Biodegradability (OECD Method 301D)

M-370

ASTM D1735 – Water Fog Cabinet
ASTM D-1748 – Humidity Cabinet
ASTM D-4627 – Cast Iron Chip Test
ASTM G-31 – Immersion Corrosion Testing

M-528

Biodegradable (OECD Method 301D)
ASTM D-4172 – 4-ball wear test
ASTM D-130 – Copper Strip Corrosion
ASTM D-665 – Rust Preventing Characteristics
ASTM D-974 – Acid/Base Number by Titration
ASTM D-1748 – Humidity testing
ASTM D-2196 – Brookfield Viscometer

M-529, -530, -531, -531T

ASTM D-4172 – 4-ball wear test
ASTM D-130 – Copper Strip Corrosion
ASTM D-665 – Rust Preventing Characteristics
ASTM D-974 – Acid/Base Number by Titration
ASTM D-1401 – Water separability testing
ASTM D-1748 – Humidity testing
ASTM D-2196 – Brookfield Viscometer
MIL-PRF-46002 – Contact and Volatile Corrosion Inhibited Oil
MIL-PRF-85062 – VCI Oil for Transmission and Gearbox

M-640L

ASTM D-1384 – Corrosion Test for Engine Coolants in Glassware
ASTM D-3306 – Standard specification for glycol based coolant
ASTM D-4627 – Cast Iron Chip Test
ASTM G-31 – Immersion Corrosion Testing

VpCI-705

ASTM D-97 – Pour point
ASTM D-130 – Copper Strip Corrosion
ASTM D-665 – Rust Preventing Characteristics
ASTM D-974 – Acid/Base Number by Titration
ASTM D-1401 – Water separability testing

ASTM D-1748 – Humidity testing
ASTM D-2196 – Brookfield Viscometer
General Motors Part Number 10661800

VpCI-706

ASTM D5534 – Vapor-phase rust-preventing characteristics of hydraulic fluids
NACE TM0208-2008 – Vapor Inhibiting Ability

VpCI Process Additives

CorroLogic VpCI Filler

NACE SP0200-2014 – Steel Cased Pipeline Practices

CorrLube VpCI Motor Oils

API CH-4, CG-4, CF-4
ASTM D-1748 (Humidity testing)
ASTM D-4485 (Ball Rust Test)

S-14 Bio

ASTM D-6866-11 – Determination of Biobased Content

MCI Products

MCI-Architectural Coating

ASTM D7234 – Standard Test Method for Pull-Off Adhesion Strength of Coatings on Concrete Using Portable Pull-Off Adhesion Testers
ASTM B-117 Salt Spray
ASTM D-1748 Humidity

MCI-Coating for Rebar + NT

ASTM A944-99 Bond Strength of Steel Reinforcing Bars to Concrete
ASTM B-117 Salt Spray
ASTM D-1748 Humidity

MCI-CorShield

ASTM A944-99 Bond Strength of Steel Reinforcing Bars to Concrete

MCI-CorteCure

ASTM D6866-11 – Determination of Biobased Content

MCI-POWR

Alberta DOT Concrete Sealer Test

MCI-309

Penn State Bond and Corrosion Testing
NACE TM0208-2008 – Vapor Inhibiting Ability

MCI Admixtures (Grenades; Mini Grenades; 2000, 2001, 2006 + NS; 2005 +AL Gel NS)

ASTM D6866-11 – Determination of Biobased Content (MCI-2005)
ASTM C1582 – Specification for Admixtures to Inhibit Chloride-Induced Corrosion of Reinforcing Steel in Concrete
ASTM G109 – Test Method for Determining Effects of Chemical Admixtures on Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments
ASTM C494 - Specification for Chemical Admixtures for Concrete
Electrochemical Impedance Spectroscopy (EIS)
NSF Standard 61 – Potable water applications approval

MCI-2005/MCI-2005 NS

NSF Standard 61 (Potable water applications approval) by UL
ASTM D-6866-11 – Determination of Biobased Content
CC-022 -- Electrochemical Impedance Testing

MCI-2006/MCI-2006 NS

NSF Standard 61 (Potable water applications approval) by UL

MCI-2007 Liquid Super Corr

ASTM C 494 Type G (High Range water reducing/retarding admixture requirements)

Electrochemical Impedance Spectroscopy (EIS)

MCI-2008 Via Corr and Liquid

EN 12706 – Determination of Flow Characteristics and Self-Healing Properties Electrochemical Impedance Spectroscopy (EIS)

MCI-2012 IntegRepel

BS 1881-122 - Method for Determination of Water Absorption

ASTM C403 - Standard Test Method for Time of Setting of Concrete Mixtures by Penetration Resistance

ASTM C143 - Standard Test Method for Slump of Hydraulic-Cement Concrete

ASTM C231 - Standard Test Method for Air Content of Freshly Mixed Concrete by the Pressure Method

ASTM C39 - Standard Test Method for Compressive Strength of Cylindrical Concrete Specimens

Electrochemical Impedance Spectroscopy (EIS)

MCI-2018, MCI-2019, 2019W, 2019WFD

ASTM E-303 - Measuring Surface Frictional Properties Using the British Pendulum Tester

ASTM C672 - Standard Test Method for Scaling Resistance of Concrete Surfaces Exposed to Deicing Chemicals

NCHRP 244 Series II Modified (Weight Gain During Saltwater Soak, Water Vapor Transmission, Chloride Ion Intrusion Characteristics)

NCHRP 244 Series IV (Accelerated Weathering Test)

Oklahoma DOT Test Procedure OHDL-34 and OHDL-35 (Depth of Sealer Penetration)

US Bureau of Reclamation M-82 (M0820000.714) – Standard Protocol to Evaluate the Performance of Corrosion Mitigation Technologies in Concrete Repairs

MCI-2020 (all versions)

ASTM G-109 – Standard Test Method for Determining the Effects of Chemical Admixtures on the Corrosion of Embedded Steel Reinforcement in Concrete Exposed to Chloride Environments

NSF Standard 61 – Potable water application (excluding –IPA and Gel versions)

MCI-2021

ASTM C-672 – Method of Test for Scaling Resistance of Concrete Surfaces Exposed to De-Icing Chemicals and Freeze/Thaw

MCI-2022

SS-W-110C – Water absorption reduction
NCHRP 244 Series II – Chloride ion intrusion reduction
EIS – Corrosion Protection to Rebar

MCI-2026 Concrete Primer / MCI-2026 Floor Coating

ASTM D-1464 – Solids by volume
ASTM D-4541 – Bond Strength
ASTM D-2240 – Hardness
ASTM D-2794 – Impact Resistance
ASTM D-4060 – Abrasion Resistance
ASTM D-635 – Flammability
ASTM C-413 – Water absorption
ASTM F-609 – Coefficient of Friction
MIL D-3134F – Indentation
EPA Method 24 – VOC

MCI-2027 Aliphatic Polyurea Coating

ASTM D695 - Compressive Strength
ASTM D412 - Elongation
ASTM D2240 - Hardness
ASTM D1737 - Flexibility
ASTM D968 - Falling Sand Abrasion Resistance
ASTM D4060 - Abrasion Resistance
ASTM D523 – Gloss Measurement
ASTM D7234 – 12 - Pull-Off Adhesion Strength of Coatings on Concrete
Chemical Resistance Testing

MCI-2120

NSF Standard 61 (Potable water application) by UL

MCI-2241 + 2242

ASTM D4541 - Pull-Off Strength of Coatings
ASTM D412 - Vulcanized Rubber and Thermoplastic Elastomers – Tension
ASTM D522 - Mandrel Bend Test of Attached Organic Coatings
ASTM D4060 - Abrasion Resistance of Organic Coatings by the Taber Abraser
ASTM D570 - Water Absorption of Plastics
ASTM E96 - Water Vapor Transmission of Materials
ASTM C1202 - Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration

MCI-2246

ASTM C882 - Bond Strength of Epoxy-Resin Systems Used With Concrete By Slant Shear
ASTM C190 - Tensile Strength of Hydraulic Cement Mortars
ASTM C78 - Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)
ASTM C1202 - Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration

MCI-2311

ASTM C-109 – Compressive Strength
ASTM C-293 – Flexural Strength
ASTM C-496 – Splitting Tensile Strength
ASTM C-469 – Modulus of Elasticity
ASTM C-157 – Length Change
ASTM D-4541 – Direct Tensile Bond

MCI-2701

ASTM C-109 – Compressive Strength
ASTM C-293 – Flexural Strength
ASTM C-496 – Modulus of Elasticity in Compression
ASTM C-157 – Shrinkage
ASTM C-1202 – Rapid Chloride Permeability

MCI-2702

ASTM C-109 – Compressive Strength
ASTM C-293 – Flexural Strength
ASTM C-496 – Modulus of Elasticity in Compression
ASTM C-496 – Splitting Tensile Strength
ASTM C-157 – Shrinkage, Length change
ASTM D-4541 – Direct Tensile Bond